



Knock Snow into the Next Zip Code



The **Meyer® Road Pro™ Series** is perfectly designed to fit 14,000 - 33,000 GVW chassis cab trucks for municipal applications. Available in 9', 10' and 11' lengths, there's a Road Pro that's the right size to clear parking lots, side streets, back roads or municipal streets.

Fits 14,000–33,000 GVW Vehicles



Road Pro 32-Series (14,000–26,000 GVW Vehicles)



The **Road Pro 32-Series** is specifically designed for **14,000–26,000 GVW** vehicles and features Meyer's EZ-Mount Plus system. The 9' and 10' Road Pro 32-series plows are available in steel or poly and are perfect for clearing **side streets, parking lots or cul-de-sacs**. All Road Pro plows feature a full five-year warranty.



8 Vertical Ribs

Six Heavy-Duty Trip Springs

Adjustable Jack

32" Height

Heavy-Duty 2" x 12" Hydraulic Rams

Heavy-Duty A-Frame and Pivot Bar available with EZ-Mount Plus (shown) or custom mounts.

Adjustable Snow Shoes to Set Scraping Height

Aggressive 75° Attack Angle

Heavy-Duty Bracing and Tubular Construction for Added Strength



Features



EZ-Mount Plus System

Attaches/detaches in seconds by pulling two handles. EZ-Mount systems are fleet-friendly because moldboards and controllers are interchangeable.

We Have the Control to Meet Your Needs



Meyer's EZ-1 controller features Hands-Free Plowing (HFP) to reduce effort and increase performance and safety. When activated, HFP uses the vehicle's shift lever to control the up/down movement of the blade. Double click a function button (up, down, left, right) and the plow will automatically perform that task without continuously depressing the button.

Available Hydraulics



E-72 Hydraulic System
Includes five-year warranty.



Central Hydraulics
Plumbs directly to the vehicle's hydraulic system. Part #08878

Road Pro 36-Series (26,000–33,000 GVW Vehicles)



Six Heavy-Duty Trip Springs

8 Vertical Ribs

Adjustable Jack

36" Height

Heavy-Duty 2½" x 11½" Hydraulic Rams

Heavy-Duty A-Frame with Custom Mounting System

Adjustable Snow Shoes to Set Scraping Height (optional)

**AMERICA'S
BEST
WARRANTY** **5
YEARS**

Features

Oscillating Moldboard



Our unique pivot design allows the Road Pro to automatically oscillate five degrees on each side to follow the contour of the road so more snow can be cleared in less time. The unique design also keeps the moldboard level when transporting.

Bottom-trip or Full-trip Moldboards Available



Bottom-trip available on RPDE-10 only.



**We Have the
Control to Meet
Your Needs**




Meyer's EZ-1 controller features Hands-Free Plowing (HFP) to reduce effort and increase performance and safety. When activated, HFP uses the vehicle's shift lever to control the up/down movement of the blade. Double click a function button (up, down, left, right) and the plow will automatically perform that task without continuously depressing the button.

Available Hydraulics



E-70 Out-Front Hydraulic System


Allows you to add a plow to vehicles that do not have central hydraulics. Part #15825



Central Hydraulics

Allows the plow to be plumbed directly to the vehicle's hydraulic system making it easy to install and maintain. Part #15853

Meyer Municipal Spreaders are the Perfect Addition for Your Snow and Ice Control Needs



Undertailgate Spreaders (UTG)

Spreads salt, sand or salt/sand up to 40 feet using your existing dump truck. It features electric or hydraulic drives and adjustable, left, right or center spread patterns. Available in 88" or 96" body widths.



V-Box Spreaders

Used on 15,000+ GVW vehicles. Features a 4.5 cu. ft. capacity for spreading salt, sand or salt/sand. Internal and external baffles spread material exactly where you want it. Available in 8', 9' and 10' lengths.



Replaceable Tailgate Spreaders (RTG)

Use in place of your existing dump truck tailgate to spread salt, sand or salt/sand up to 40 feet. It features an electric drive and adjustable, left, right or center spread patterns. Available in body widths from 78" – 90".



Meyer® Road Pro 32-Series Specifications for 14,000–26,000 GVW Vehicles

Model #	Blade Type	Moldboard Length	Moldboard Height	Moldboard Gauge	Vertical Ribs	Plow Trip Springs	Cutting Edge	Average Width at Full Angle	Angling Rams	Weight* Complete
RP90-32	Full-Trip	9'	32"	10 Steel	8	6	1/2" x 6"	97"	2" x 12"	925 lb.
RPP10-32	Full-Trip	10'	32"	3/8" Poly	8	6	1/2" x 6"	103"	2" x 12"	1000 lb.
RP10-32	Full-Trip	10'	32"	10 Steel	8	6	1/2" x 6"	103"	2" x 12"	943 lb.

*Weight without options.



Meyer® Road Pro 36-Series Specifications for 26,000–33,000 GVW Vehicles

Model #	Blade Type	Moldboard Length	Moldboard Height	Moldboard Gauge	Vertical Ribs	Plow Trip Springs	Cutting Edge	Average Width at Full Angle	Angling Rams	Weight* Complete
RP90-36	Full-Trip	9'	36"	10 Steel	8	6	1/2" x 6"	93"	2 1/2" x 11 1/2"	1562 lb.
RP10-36	Full-Trip	10'	36"	10 Steel	8	6	1/2" x 6"	104"	2 1/2" x 11 1/2"	1610 lb.
RPP10-36	Full-Trip	10'	36"	3/8" Poly	8	6	1/2" x 6"	104"	2 1/2" x 11 1/2"	1590 lb.
RPDE10-36	Bottom-Trip	10'	36"	10 Steel	8	6	3/4" x 6"	104"	2 1/2" x 11 1/2"	1850 lb.
RP11-36	Full-Trip	11'	36"	10 Steel	8	6	3/4" x 6"	114"	2 1/2" x 11 1/2"	1660 lb.
RPP11-36	Full-Trip	11'	36"	3/8" Poly	8	6	3/4" x 6"	114"	2 1/2" x 11 1/2"	1640 lb.

*Weight without options.



For a complete list of Road Pro Series accessories, visit www.meyerproducts.com

Meyer Products LLC reserves the right under its continuing product improvement program to change construction or design details and specifications without incurring any obligation.

Meyer Products / 18513 Euclid Ave. / Cleveland, Ohio 44112 / 216-486-1313 / Fax 216-486-1321

© 2013 Meyer Products, LLC

FORM# 3-578

www.meyerproducts.com

1113 PDF