

M E Y E R[®]

HIGH PERFORMANCE

S N O W & I C E

C O N T R O L E Q U I P M E N T



**TAILGATE, INSERT HOPPERS,
UNDER TAILGATE AND BROADCAST SPREADERS**

MEYER BLASTER™

MORE POWER, GREATER RELIABILITY

BLASTER 350 & 750

- Spreads salt only



KEY FEATURES

- Available in 350 lb. and 750 lb. capacities
- Variable speed controller for precise material spread pattern
- Spread patterns up to 40 feet
- Seven mounting systems available to fit SUV's, light truck and 1/2 ton+ vehicles

The Meyer® Blaster™ spreader features a 1/2 hp direct drive motor that gives you the auger power when and where you need it. The Blaster motor and controller deliver a continuous 40 amperes during normal operation and surges to 70 amperes when the "blast" feature is pressed to grind through rock salt, calcium chloride and other ice melting materials. The low maintenance polyethylene hopper and 304 stainless steel spinner are built to provide years of service. ROC 3/5 year warranty is available.



The largest and toughest motor in the industry.



SPEED CONTROLLER

Features "Blast" mode for grinding through tough chunks of salt.

BLASTER 350S & 750S

- Vibrator kit (standard on 350S & 750S) allows for spreading a 50/50 blend of rock salt and sand or sand only.



VIBRATOR KIT
STANDARD ON 350S/750S
OPTIONAL ON 350/750

**OPTIONAL
HOPPER SCREEN**

VIBRATOR MOTOR
Breaks up sand or salt/sand to keep an even material flow.



Lets you spread a 50/50 blend of rock salt and sand or sand only. Includes extended auger, vibrator motor, mounting and baffle plate and wiring.



The removable welded steel mesh hopper screen prevents large chunks of material into the hopper and improves material flow.

THE INDUSTRY'S BEST WARRANTY PROTECTION
3 YEARS standard.*
5 YEARS on structural steel and hopper.*

* ROC Warranty available on Blaster models only.
Must register new Blaster spreader systems online at www.meyerproducts.com to activate years 3 through 5.



MEYER MATE™ EASY ON. EASY OFF. EASY ON YOUR TRUCK



The Meyer Mate™ spreader has a 9 cubic foot capacity and attaches (without tools) in seconds. The Mate comes fully assembled for quick and easy installation to your truck's tailgate and bumper, so there's nothing to drill!

The Meyer Mate spinner shaft can be adjusted to accommodate dry, free flowing #1 rock salt, sand or calcium chloride, and it can even spread seed and other materials for year-round applications. The Mate is powered by a 1/6-horsepower, 12-volt DC electric motor and has variable in-cab speed control. A standard vibrator motor is provided for use with sand and damp materials to maximize performance.

MOTOR GUARD

This optional accessory protects the spinner assembly and fits 2" standard square receiver.



MATE EZ-SWING™

This optional tailgate swing accessory allows the entire unit to swing out of the way for tailgate access.



KEY FEATURES

- Optional salt screen is completely removable
- Built-in flow control auger and agitator
- Optional 3-Point hitch systems are available for Ag and Turf applications
- Spread widths from 3 to 30 feet
- Vibrator standard



MINI JR.™ THE ANSWER TO LIFE'S LITTLE CHALLENGES



MOTOR GUARD

Protects the spinner assembly.



3-POINT HITCH

3-Point hitch systems are available for Ag and Turf applications.



KEY FEATURES

- Direct drive motor operates on vehicle electrical system
- Weatherproof electrical connector
- Spread widths from 3 to 30 feet
- Optional salt screen is completely removable

The Meyer Mini Jr. is easy to use and ideal for many small to medium sized jobs from walkways to small parking lots. The Mini Jr. also works with B series tractors and is ideal for spreading dry, free flowing #1 rock salt. The 400 lbs. capacity of the polymer hopper gives you the productivity to handle several jobs with one load. For driver convenience, the Mini Jr. mounts using a standard 2" square receiver and provides in cab speed control.



POLYHAWK™ VIRTUALLY INDESTRUCTIBLE HOPPER



* 10 year limited warranty applies to the hopper only.

MORE PRODUCTIVITY

The 2.0 cubic yard capacity is 37% larger than other poly hoppers which means less time reloading - more time spreading.



EASY MAINTENANCE

The PolyHawk's swing up spinner assembly simplifies clean up and makes seasonal storage much easier.



KEY FEATURES

- Fits most standard 3/4 to 1-ton pickup trucks
- 10.5 H.P. Briggs & Stratton engine is standard
- 11 H.P. Honda engine is available
- One piece polyethylene hopper is corrosion resistant
- 10 year limited warranty*
- Wireless remote available



The Meyer PolyHawk is an 8 foot long Corrosion Resistant Conveyor V-Box Spreader that fits most standard 3/4 to 1-ton pickup truck beds. The one-piece polyethylene hopper has a 2.0 cubic yard capacity and comes with a limited 10-year warranty*.

The PolyHawk comes fully assembled (includes top screen) and can be initially installed in 2-3 hours and re-installed in less than 30 minutes. The stainless steel conveyor assembly resists corrosion and minimizes maintenance. The swing up spinner assembly simplifies clean out and storage.

All these features (and more) provide all the performance of conventional V-Box spreaders with less weight, longer life and less maintenance.

POLYHAWK STANDARD DRIVE

GAS

Robust gas engine driven performance that allows for convenient movement between trucks.



POLYHAWK DRIVE OPTIONS

HYDRAULIC



Reliable hydraulic direct driven performance powered by truck mounted hydraulic system.

ELECTRIC




Efficient quiet electric motor driven performance.

ENGINE OVER HYDRAULIC



Rugged self contained hydraulic system performance eliminates high maintenance items.

LPV GO LOW AND SPREAD QUIETLY



UTILITY LPV

The Utility LPV easily handles all-season spreading such as fertilizer and seed as well as salt and sand for snow and ice control.



KEY FEATURES

UTILITY LPV

- Available in .3 cubic yard, and 3' hopper length
- Available in .43 cubic yard, and 4' hopper length
- Stainless Steel

LPV

- Fits most standard 1/2 to 1-ton pickup trucks
- Low profile design provides increase safety
- 12v sealed electric motor provides quiet operation
- Spread widths from 3 to 20 feet
- Gas Engine is available
- Stainless Steel



Meyer's Electric Low Profile V-Box spreader is specifically designed for 1/2 to 1-ton pickups. Since the overall height is 25% less than typical pickup truck spreaders, rearward visibility is significantly increased. The LPV has been developed with field-operators and field-tested to be the quietest and most efficient electric powered spreader available. The LPV is powered by a sealed, 12V electric motor and has fewer parts, which means less maintenance and less downtime. The LPV is available in 0.56 to 0.95 cubic yard capacities and lengths of 5, 6, 7 and 8 feet.

MDV MEDIUM DUTY – LARGE CAPACITY WITH UNMATCHED VERSATILITY



* Stainless steel option shown.

SPRING LOADED FRONT IDLER ADJUSTMENTS

Allows for smoother conveyor operation.



KEY FEATURES

- Fits most 15,000 Lbs.+ GVW trucks
- 10.5 H.P. Briggs & Stratton engine is standard
- 11 H.P. Honda engine is available
- Replaceable conveyor floor is easily serviced
- Spread widths from 3 to 30 feet
- Available in Carbon or Stainless Steel
- Wireless remote available



Meyer's Medium Duty V-Box Spreader is designed to bring volume and versatility to your vehicle fleet with increased material capacity for the heavy duty sized trucks (15,000+ GVW). The MDV is available with flexible power supply options and can be either engine or hydraulically driven. Drop N Loc top screens provide increased safety and are standard – not special add-ons.

The Meyer Medium Duty V-Box Spreader is available in 9 and 10 foot lengths with 4 to 4.5 cubic yard respective capacities. The MDV provides the flexibility of a medium duty municipal vehicle with the capacity of a larger spreader, which means less time loading and more time spreading.

PV MAXIMIZE YOUR PICKUP



DROP N LOC TOP SCREENS STANDARD
Provides increased safety and reduced maintenance.



STAINLESS STEEL AVAILABLE
Available in Stainless Steel. Provides durable and long lasting construction.



KEY FEATURES

- Fits most standard 3/4 to 1-ton pickup trucks
- 10.5 H.P. Briggs & Stratton engine is standard
- 11 H.P. Honda engine is available
- Replaceable conveyor floor is easily serviced
- Self-cleaning pintle style conveyor chain minimizes maintenance
- Spread widths from 3 to 30 feet
- Wireless remote available



Meyer's versatile line of Insert Hopper Spreaders fit most 3/4 to 1-ton heavy duty pickup trucks and shares many of the same rugged, time saving, long-lasting features of our larger MDV series spreaders.

The Meyer PV is available in 7 and 8 foot lengths and has 1.8 and 2.0 cubic yard respective capacities. All PV's come standard with many features that others consider add-ons, including standard Drop N Loc top screens and inverted V's. Hydraulic drive option available.

HOTSHOT™ /HOTSHOT HD™

BROADCAST SPREADERS



KEY FEATURES

HOTSHOT HD

- One year warranty
- Stainless Steel frame system provides years of corrosion free spreading
- 13" pneumatic tires minimizes push effort
- Ergonomic handles virtually eliminates operator fatigue
- Stainless Steel side deflector provides spread pattern control
- Spreads up to 18' for increased productivity

HOTSHOT

- Hotshot comes with a one year warranty
- 10" pneumatic tires minimize push effort
- Powder coated frame is welded and epoxy coated for durability
- Spreads up to 12' to maximize productivity

Meyer Hotshot and Hotshot HD are compact, tough and built to handle the extreme temperatures, moisture, and corrosive materials typically found in year-round grounds maintenance use. Both are specifically designed for Topdress Sand, Icemelt, Limestone and Fertilizer applications.

The Hotshot and Hotshot HD feature large, heavy duty Nylatron GS (Teflon® impregnated and greaseless) gears for superior durability and a quick release gear cover for easy servicing. The axle and wheel bearings/bushings provide self-lubrication with excellent wear and load carrying performance. The 1.3 cubic foot polypropylene hopper has a 70 lb. capacity which converts to up to 1-1/2 bags of fertilizer/icemelt. The fitted, see-through cover keeps the weather out and the material in.

UTG UNDER TAILGATE



* Available in stainless steel.



The Meyer under tailgate spreader (UTG) is designed to mount below all standard dump body tailgates. This spreader is available in two powerful drive systems; a high performance, low maintenance - Direct Drive or a heavy duty Gearbox Drive. The adjustable spinner frame allows for appropriate minimum spinner clearance and precise spread control.

The UTG spreader is equipped with separate hydraulic motors for the auger and spinner to allow for independent control of each function. The unique hydraulic safety interlock system-disables the auger during clean out and maintenance operations-provides for optimum operator safety.

KEY FEATURES

- Maximizes your existing dump body
- Multiple configurations to fit your needs
- Built-In Safety System provides operator safety
- Available in Carbon or Stainless Steel
- Available in 88" and 96" lengths

RTG REPLACEABLE TAILGATE



The Meyer RTG replaceable tailgate spreader is designed to replace the standard dump body tailgate. This spreader is equipped with separate hydraulic motors for the auger and the spinner for independent control. The RTG features an easy opening bottom cleanout gate which incorporates a hydraulic safety interlock system to disable the auger during clean out or maintenance.

The single 6" auger with continuous flitting discharges approximately 5.0 lbs/rev. and the incorporated trough agitator keeps the material free flowing. The 18" polyurethane spinner disc extends the spinner life in corrosive environments.

KEY FEATURES

- Maximizes your existing dump body
- Optimized for straight salt and low output
- Available in Carbon or Stainless Steel
- Available in 88" length

TAILGATE CROSS CONVEYOR HOT & COLD TWO-WAY MATERIAL CONVEYING



The Meyer Tailgate Cross Conveyor is designed to extend the versatility of your standard dump body to include high temperature and large volume material conveying. The cross conveyor conveys materials to either end of the rugged 14" wide hi-temperature belt conveyor and includes dual feed gates. A dual-function top cover is a Meyer industry exclusive which can be lowered to both protect the conveyor and allow true dump-bed operation when the conveyor is still attached.

KEY FEATURES

- Conveys both free-flowing and high-temperature materials
- Maximizes your existing dump body
- Conveniently discharges to either side
- 102" hopper

REMARKABLE CUSTOMER SUPPORT

For 24-hour product information, our website www.meyerproducts.com is the best place to start, and a great resource for Maintenance Tips, Troubleshooting, FAQs, Service Locations, Service Manuals and Operation and Maintenance Manuals.

It's our goal at Meyer Products to earn your loyalty through exceptional products and customer service that is second to none.

We make every effort to ensure that your Meyer Equipment is ready and able when you're called to perform. If you need service or have a question about the performance of your Meyer Equipment, we'd like to hear from you - **216-486-1313**. Before, during, or after the sale; when you need service you can rely on our dedicated service team to work side-by-side with you to resolve your needs - every time.

PLOW NOW. PAY LATER!

Meyer makes getting you the best equipment when you need it even easier. Retail financing is available at participating distributors. Contact your local authorized Meyer distributor for details and participation for a variety of end user finance programs to meet your needs.

MEYER WARRANTY

All Meyer Blaster™ Spreaders carry up to a 5-year warranty with an online registration. Meyer offers a 1-year warranty on all other spreaders, parts and labor. Replacement parts and accessories sold over the parts counter carry a 1-year warranty.



Meyer Products LLC
18513 Euclid Ave. • Cleveland, Ohio 44112
Phone: 216-486-1313 • Fax: 216-486-1321
www.meyerproducts.com
info@meyerproducts.com

Member of:



Meyer Products LLC reserves the right under its continuing product improvement program to change construction or design details and specifications without incurring any obligation. Some images shown with optional equipment. See authorized Meyer Distributor for details.

MEYER HAS THE RIGHT SNOWPLOW FOR YOUR APPLICATION

THE MOST INNOVATIVE NAME IN SNOW AND ICE.

At Meyer, our commitment to provide the most advanced equipment is evident in the breadth of innovative products we deliver. Our dedication coupled with our drive for consistent product improvement delivers the most productive products to the industry.

FROM DRIVEWAYS TO ROADWAYS, WE'VE GOT YOU COVERED.

Meyer offers snow and ice control solutions to handle whatever Mother Nature throws your way. We provide high performance snow and ice control equipment specifically designed for Personal, Contractor (Landscaper) and Municipal use. Whatever your application, Meyer has the best plow you can find.

To find the right Meyer Snowplow for your vehicle go to www.meyerproducts.com and click on the EZ-Match tab. It's the fast and easy way to locate the correct Meyer plow for your vehicle.

